



PRODUCT GUIDE



Table of Contents

Luxury Spas	Page
Polo.....	1 - 2
Adelphi.....	3 - 4
Putnam.....	5 - 6
Canfield.....	7 - 8
Lincoln.....	9 - 10
Empire.....	11 - 12
Beekman.....	13 - 14
Broadway.....	15 - 16
Luxury Spa Options.....	17



Special Edition Spas	Page
B15.....	19 - 20
A24.....	21 - 22
C35.....	23 - 24
C40.....	25 - 26
R45.....	27 - 28
G50.....	29 - 30
L50.....	31 - 32
Regent.....	33 - 34
Special Edition Spa Options.....	35



Cottage Spas	Page
Glenwood.....	37 - 38
Collins.....	39 - 40
Whitman.....	41 - 42
Cottage Spa Options.....	43



Geyser Spas	Page
Peerless.....	45 - 46
Paradise.....	47 - 48
Glacier.....	49 - 50
Geyser Spa Options.....	51





the
Luxury Spa
Line



2022 Specifications

P O L O

Hydrotherapy

Passive Impact CFE™ System

Power Massage® 2

Direct Impact™ Therapy System

Versa-Flo™ Jets 19

Vortex Jet™ 1

TOTAL JETS 22

Valve Systems

Versa-Flo™ Air Control 1

Versa-Flo™ Valves 2

Crystal Stream™ Valve..... 1

TOTAL VALVES 4

Dimensions

Width	57"	1.45 m
-------	-----	--------

Length	80"	2.03 m
--------	-----	--------

Height	29"	0.74 m
--------	-----	--------

Average Fill	150 GL	568 L
--------------	--------	-------

Dry Weight	385 LB	175 kg
------------	--------	--------

Average Full Weight	1638 LB	743 kg
---------------------	---------	--------

Seating Capacity	2	2
------------------	---	---

System Control Center

Power Pak	220V/60A	230V/16A
-----------	----------	----------

Heater	4 kw	3 kw
--------	------	------

Luxury Splash™ Lighting	Standard	Standard
-------------------------	----------	----------

(1) 2 Speed Pump	195 GPM	737 LPM
------------------	---------	---------

(1) Circulation Pump	35 GPM	132 LPM
----------------------	--------	---------

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Crystal Stream™ LED Water Feature*
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- Cover All™ Base System
- Tri Layer™ Spa Shell
- Deluxe Spa Cover
- Antimicrobial Filtration
- Saratoga Luxury Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

* Currently N/A

Luxury 2022

POLO





2022 Specifications

ADELPHI

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	2

Direct Impact™ Therapy System

Versa-Flo™ Jets	25
Vortex Jet™	1
TOTAL JETS	30

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	2
Relax Stream™ Valve	1
TOTAL VALVES	5

Dimensions

Width	67"	1.70 m
Length	80"	2.03 m
Height	29"	0.74 m
Average Fill	240 GL	909 L
Dry Weight	500 LB	227 kg
Average Full Weight	2504 LB	1136 kg
Seating Capacity	2-3	2-3

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Standard XL System

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ LED Water Feature
• Footwell Spa Drain	• Whisper Clean® Jet
• Built-in Headrest Pillows	• Vortex Jet™ Circulation
• Stainless Steel Jet Accents	• Whisper Zone™ Ozone Generator
• Treaded Footwell	• Luxury Splash™ Lighting
• Slide Valves	• Cover All™ Base System
• 7/5/5 Warranty	• Tri Layer™ Spa Shell
	• Deluxe Spa Cover
	• Antimicrobial Filtration
	• Saratoga Luxury Cabinets

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Luxury 2022
ADELPHI





2022 Specifications

PUTNAM

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	2

Direct Impact™ Therapy System

Versa-Flo™ Jets	35
Vortex Jet™	1
TOTAL JETS	40

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	2
Relax Stream™ Valve	1
TOTAL VALVES	5

Dimensions

Width	75"	1.91 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	340 GL	1287 L
Dry Weight	620 LB	281 kg
Average Full Weight	3457 LB	1568 kg
Seating Capacity	4-5	4-5

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ LED Water Feature
• Footwell Spa Drain	• Whisper Clean® Jet
• Built-in Headrest Pillows	• Vortex Jet™ Circulation
• Stainless Steel Jet Accents	• Whisper Zone™ Ozone Generator
• Treaded Footwell	• Luxury Splash™ Lighting
• Slide Valves	• Cover All™ Base System
• 7/5/5 Warranty	• Tri Layer™ Spa Shell
	• Deluxe Spa Cover
	• Antimicrobial Filtration
	• Saratoga Luxury Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

Luxury 2022
PUTNAM





2022 Specifications

CANFIELD

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	6
Deflector Stream®	2

Direct Impact™ Therapy System

Versa-Flo™ Jets	40
Vortex Jet™	1
TOTAL JETS	51

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	3
Relax Stream™ Valve	1
Manual Roto Stream® Valve.....	1
TOTAL VALVES	7

Dimensions

	Domestic	Int'l
Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	750 LB	340 kg
Average Full Weight	3880 LB	1760 kg
Seating Capacity	5-6	5-6

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Relax Stream™ LED Water Feature
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- Manual Sequencing Therapy
- Cover All™ Base System
- Tri Layer™ Spa Shell
- Deluxe Spa Cover
- Antimicrobial Filtration
- Saratoga Luxury Cabinets

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2022
CANFIELD





2022 Specifications

LINCOLN

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Deflector Stream®	4

Direct Impact™ Therapy System

Versa-Flo™ Jets.....	53
Vortex Jet™	1
TOTAL JETS	60

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	2
ProJet Stream™ Valve	1
Relax Stream™ Valve	1
Manual Roto Stream® Valve.....	1
TOTAL VALVES	7

Dimensions

Width	90"	2.29 m
Length	94"	2.39 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6-7	6-7

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment

- Weir Activated Toploading Skimmer
- Footwell Spa Drain
- Built-in Headrest Pillows
- Stainless Steel Jet Accents
- Treaded Footwell
- Slide Valves
- 7/5/5 Warranty

Features

- Relax Stream™ LED Water Feature
- Whisper Clean® Jet
- Vortex Jet™ Circulation
- Whisper Zone™ Ozone Generator
- Luxury Splash™ Lighting
- Manual Sequencing Therapy
- Cover All™ Base System
- Tri Layer™ Spa Shell
- Deluxe Spa Cover
- Antimicrobial Filtration
- Luxury Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

Luxury 2022
LINCOLN





2022 Specifications

EMPIRE

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	8
Deflector Stream®	3

Direct Impact™ Therapy System

Versa-Flo™ Jets	46
Vortex Jet™	1
TOTAL JETS	60

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	3
ProJet Stream™ Valve	1
Relax Stream™ Valve	1
Manual Roto Stream® Valve	1
TOTAL VALVES	8

Dimensions

	Domestic	Int'l
Width	89"	2.26 m
Length	93"	2.36 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6-7	6-7

System Control Center

Power Pak	220V/60A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ LED Water Feature
• Footwell Spa Drain	• Whisper Clean® Jet
• Built-in Headrest Pillows	• Vortex Jet™ Circulation
• Stainless Steel Jet Accents	• Whisper Zone™ Ozone Generator
• Treaded Footwell	• Luxury Splash™ Lighting
• Slide Valves	• Manual Sequencing Therapy
• 7/5/5 Warranty	• Cover All™ Base System
	• Tri Layer™ Spa Shell
	• Deluxe Spa Cover
	• Antimicrobial Filtration
	• Saratoga Luxury Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2022
EMPIRE





2022 Specifications

B E E K M A N

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	1
Power Massage®	1
Power Stream®	12
Deflector Stream®	3

Direct Impact™ Therapy System

Versa-Flo™ Jets	39
Vortex Jet™	1
TOTAL JETS	57

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	3
ProJet Stream™ Valve	1
Relax Stream™ Valve	1
Manual Roto Stream® Valve	1
TOTAL VALVES	8

Dimensions

Width	90"	2.29 m
Length	94"	2.39 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	5	5

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ LED Water Feature
• Footwell Spa Drain	• Whisper Clean® Jet
• Built-in Headrest Pillows	• Vortex Jet™ Circulation
• Stainless Steel Jet Accents	• Whisper Zone™ Ozone Generator
• Treaded Footwell	• Luxury Splash™ Lighting
• Slide Valves	• Manual Sequencing Therapy
• 7/5/5 Warranty	• Cover All™ Base System
	• Tri Layer™ Spa Shell
	• Deluxe Spa Cover
	• Antimicrobial Filtration
	• Saratoga Luxury Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2022
BEEKMAN





2022 Specifications

BROADWAY XL

Hydrotherapy

Passive Impact CFE™ System

Power Massage Plus®	2
Power Massage®	2
Deflector Stream®	4

Direct Impact™ Therapy System

Versa-Flo™ Jets	66
Vortex Jet™	1
TOTAL JETS	75

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valves	5
ProJet Stream™ Valve	1
Relax Stream™ Valve	1
Manual Roto Stream® Valve	1
TOTAL VALVES	10

Dimensions

	Domestic	Int'l
Width	92"	2.34 m
Length	108"	2.74 m
Height	40"	1.02 m
Average Fill	795 GL	3010 L
Dry Weight	1200 LB	544 kg
Average Full Weight	7835 LB	3554 kg
Seating Capacity	9	9

System Control Center

Power Pak	220V/60A	230V/16 or 32A
Heater	4 kw	3 kw
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard XL System

Equipment	Features
• Weir Activated Toploading Skimmer	• Relax Stream™ LED Water Feature
• Footwell Spa Drain	• Whisper Clean® Jet
• Built-in Headrest Pillows	• Vortex Jet™ Circulation
• Stainless Steel Jet Accents	• Whisper Zone™ Ozone Generator
• Treaded Footwell	• Luxury Splash™ Lighting
• Slide Valves	• LED Laminar Jets
• 7/5/5 Warranty	• Manual Sequencing Therapy
	• Cover All™ Base System
	• Tri Layer™ Spa Shell
	• Deluxe Spa Cover
	• Antimicrobial Filtration
	• Saratoga Luxury Cabinets

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base (includes Slide Rails)
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ System

* Additional costs, see Saratoga Dealer Price Sheet

Luxury 2022

BROADWAY XL





LUXURY OPTIONS

“Luxury Splash™ Lighting System”

- Standard on all Luxury models
- Luxury Splash™ includes LED Topside, LED Skimmer Box, LED Water Feature, LED Vortex Jet (Currently N/A), LED Waterline Facets, and exterior corner LED facets.

“Luxury Sounds™ System”

- Available option on selected Luxury Models at an additional cost (Music currently not available on the Polo & Adelpi)
- Bluetooth Streaming with Dual Speakers and Subwoofer System
 - Factory-installed item, see price sheet for details



*The
Special Edition
Spa Line*



2022 Specifications

B I 5

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	0
TOTAL JETS	0

Direct Impact™ Therapy System

Versa-Flo™ Jets	15
TOTAL JETS	15

Valve Systems

TOTAL VALVES	0
--------------------	---

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions

Width	57"	1.45 m
Length	80"	2.03 m
Height	29"	0.73 m
Average Fill	150 GL	568 L
Dry Weight	385 LB	175 kg
Average Full Weight	1638 LB	743 kg
Seating Capacity	1-2	1-2

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
	110V/20A	
Heater	1kw or 4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	140 GPM	530 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation

Standard System

Equipment	Features
<ul style="list-style-type: none"> • Top Loading Skimmer • Treaded Footwell • Footwell Spa Drain • Ozone Generator • Saratoga LED Lighting • Slide Valves • 7/3/2 Warranty 	<ul style="list-style-type: none"> • Custom Circulation Cycles • Tri Layer™ Spa Shell • Antimicrobial Filtration • Multi Weather™ Vanguard Cabinet • Deluxe Spa Cover • Thermal Bond™ Wrap Insulation • DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

B I 5





2022 Specifications

A 24

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	0
TOTAL JETS	0

Direct Impact™ Therapy System

Versa-Flo™ Jets	24
TOTAL JETS	24

Valve Systems

TOTAL VALVES	0
--------------------	---

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions

Width	67"	1.70 m
Length	80"	2.03 m
Height	29"	0.74 m
Average Fill	240 GL	909 L
Dry Weight	500 LB	227 kg
Average Full Weight	2504 LB	1136 kg
Seating Capacity	2 - 3	2 - 3

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation

Standard System

Equipment	Features
<ul style="list-style-type: none"> • Top Loading Skimmer • Treaded Footwell • Footwell Spa Drain • Ozone Generator • Built-in Headrest • Saratoga LED Lighting • Slide Valves • 7/3/2 Warranty 	<ul style="list-style-type: none"> • Custom Circulation Cycles • Tri Layer™ Spa Shell • Antimicrobial Filtration • Multi Weather™ Vanguard Cabinet • Deluxe Spa Cover • Thermal Bond™ Wrap Insulation • DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

A24





2022 Specifications

C35

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	41
TOTAL JETS	42

Valve Systems

Versa-Flo™ Air Control	1
Versa-Flo™ Valve	1
LED Water Feature Valve.....	1
TOTAL VALVES	3

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions

Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	780 LB	354 kg
Average Full Weight	3911 LB	1774 kg
Seating Capacity	5-6	5-6

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System
- Cover All™ Base (includes Slide Rails)

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- Tri Layer™ Spa Shell
- LED Water Feature
- Multi Weather™ Vanguard Cabinet
- Antimicrobial Filtration
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

C35





2022 Specifications

C40

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	48
TOTAL JETS	49

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
LED Water Feature Valve.....	1
TOTAL VALVES	4

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions

Width	84"	2.13 m
Length	84"	2.13 m
Height	38"	0.97 m
Average Fill	375 GL	1420 L
Dry Weight	750 LB	340 kg
Average Full Weight	3880 LB	1760 kg
Seating Capacity	5	5

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System
- Cover All™ Base (includes Slide Rails)

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- Tri Layer™ Spa Shell
- LED Water Feature
- Multi Weather™ Vanguard Cabinet
- Antimicrobial Filtration
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

C40





2022 Specifications

R45

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	51
TOTAL JETS	52

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
LED Water Feature.....	1
TOTAL VALVES	4

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Standard System

Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Built-in Headrests
- Ozone Generator
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom Circulation Cycles
- Tri Layer™ Spa Shell
- LED Water Feature
- Multi Weather™ Vanguard Cabinet
- Antimicrobial Filtration
- Deluxe Spa Cover
- Thermal Bond™ Wrap Insulation
- DuoTone™ Jet Accents

Dimensions

Width	84"	2.13 m
Length	90"	2.29 m
Height	38"	0.97 m
Average Fill	425 GL	1609 L
Dry Weight	750 LB	340 kg
Average Full Weight	4297 LB	1949 kg
Seating Capacity	6	6

Domestic

Int'l

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System
- Cover All™ Base (includes Slide Rails)

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

R45





2022 Specifications

G50

HYDROTHERAPY

Passive Impact™ Therapy System	
Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System	
Versa-Flo™ Jets.....	55
TOTAL JETS	56

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
LED Water Feature Valve.....	1
TOTAL VALVES	4

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions	Domestic	Int'l
Width	89"	2.26 m
Length	93"	2.36 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	6	6

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System
- Cover All™ Base (includes Slide Rails)

Standard System

Equipment	Features
<ul style="list-style-type: none"> • Top Loading Skimmer • Treaded Footwell • Footwell Spa Drain • Built-in Headrests • Ozone Generator • Saratoga LED Lighting • Slide Valves • 7/3/2 Warranty 	<ul style="list-style-type: none"> • Custom Circulation Cycles • Tri Layer™ Spa Shell • LED Water Feature • Multi Weather™ Vanguard Cabinet • Antimicrobial Filtration • Deluxe Spa Cover • Thermal Bond™ Wrap Insulation • DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

G 5 0





2022 Specifications

L50

HYDROTHERAPY

Passive Impact™ Therapy System	
Power Massage°	1
TOTAL JETS	1

Direct Impact™ Therapy System	
Versa-Flo™ Jets.....	55
TOTAL JETS	56

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	1
LED Water Feature Valve.....	1
TOTAL VALVES	4

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions	Domestic	Int'l
Width	90"	2.29 m
Length	94"	2.39 m
Height	40"	1.02 m
Average Fill	525 GL	1988 L
Dry Weight	920 LB	417 kg
Average Full Weight	5302 LB	2405 kg
Seating Capacity	7	7

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 1 Speed Pump	195 GPM	737 LPM

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System
- Cover All™ Base (includes Slide Rails)

Standard System

Equipment	Features
<ul style="list-style-type: none"> • Top Loading Skimmer • Treaded Footwell • Footwell Spa Drain • Built-in Headrests • Ozone Generator • Saratoga LED Lighting • Slide Valves • 7/3/2 Warranty 	<ul style="list-style-type: none"> • Custom Circulation Cycles • Tri Layer™ Spa Shell • LED Water Feature • Multi Weather™ Vanguard Cabinet • Antimicrobial Filtration • Deluxe Spa Cover • Thermal Bond™ Wrap Insulation • DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

L50



Shown in Smoky Mountain



2022 Specifications

REGENT

HYDROTHERAPY

Passive Impact™ CFE® Therapy System

Power Massage Plus® Jet.....	1
Power Massage® Jet.....	1
Power Stream.....	4
TOTAL JETS	6

Direct Impact™ Therapy System

Versa-Flo™ Jets.....	47
Vortex Jet™.....	1
TOTAL JETS	54

Valve Systems

Versa-Flo™ Air Control	2
Versa-Flo™ Valve	3
Relax Stream™ Water Feature Valve.....	1
Manual Roto Stream® Valve.....	1
TOTAL VALVES	7

Whisper Clean® System

- Continuous Purity Circulation™
- Continuous Antimicrobial Filtration
- Continuous Whisper Zone™ Ozonation

Luxury XL Insulation System

- Cover All™ Base
- Full Foam Insulation
- Deluxe Spa Cover

Optional Packages Available*

- Luxury Sounds™ Stereo System
- Cover All™ Base (includes Slide Rails)
- Shell Trim Accent

Dimensions

	Domestic	Int'l
Width	84"	2.13 m
Length	90"	2.29 m
Height	38"	0.97 m
Average Fill	425 GL	1609 L
Dry Weight	750 LB	340 kg
Average Full Weight	4297 LB	1949 kg
Seating Capacity	6	6

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Luxury Splash™ Lighting	Standard	Standard
(1) 2 Speed Pump	240 GPM	907 LPM
(1) 2 Speed Pump	240 GPM	907 LPM
(1) Circulation Pump	35 GPM	132 LPM

Standard System

Equipment	Features
• Toploading Skimmer	• Relax Stream™ Water Feature
• Footwell Spa Drain	• Whisper Clean® Jet
• Built-in Headrest Pillows	• Vortex Jet™ Circulation
• Stainless Steel Jet Accents	• Whisper Zone™ Ozone Generator
• Treaded Footwell	• Manual Sequencing Therapy
• Slide Valves	• Cover All™ Base
• Luxury Splash™ Lighting	• Tri Layer™ Spa Shell
• 7/3/2 Warranty	• Deluxe Spa Cover
	• Antimicrobial Filtration
	• Multi Weather™ Vanguard Cabinet

* Additional costs, see Saratoga Dealer Price Sheet

Special Edition 2022

REGENT





SPECIAL EDITION OPTIONS

“Thermal Bond™ Full Foam Insulation”

- Available option on all models at additional cost
 - Factory-installed item, see price sheet for details
-

“Saratoga LED Lighting”

- Standard Feature on all models - Includes LED Topside, LED Skimmer Box, LED Water Feature, LED Footwell Light (Currently N/A), LED Waterline Facets and LED Exterior Corner
 - LED Water Feature not available on the B15 and A24 ONLY
 - Factory-installed item
-

“Regent Luxury Splash™ Lighting System”- Available as Standard

- Standard feature on the Regent ONLY
 - Luxury Splash™ is LED Topside, LED Skimmer Box, Relax Stream™ Water Feature, LED Vortex Jet (Currently N/A), LED Waterline Facets and LED Exterior Corner Lighting
 - Factory-installed item
-

“Saratoga Sounds™ System”

- Available option on all models at an additional cost
- Bluetooth Streaming with Dual Flat Speakers and Subwoofer System
 - Factory-installed item, see price sheet for details
 - Not applicable on B15 and A24



Cottage Spas



2022 Specifications

GLENWOOD

HYDROTHERAPY

Passive Impact™ Therapy System	
Power Massage°	0
TOTAL JETS	0

Direct Impact™ Therapy System	
Versa-Flo™ Jets	29
TOTAL JETS	29

Valve Systems	
Versa-Flo™ Valve	0
TOTAL VALVES	0

Thermal Bond™ Insulation System	
Sealed Base	
Thermal Bond™ Wrap	
Deluxe Spa Cover	

Custom Circulation System	
Custom Circulation Cycles	
Antimicrobial Filtration	
Ozone Generator	

Dimensions	Domestic	Int'l
Width	67"	1.70 m
Length	80"	2.03 m
Height	40"	1.02 m
Average Fill	300 GL	1136 L
Dry Weight	500 LB	227 kg
Average Full Weight	3000 LB	1361 kg
Seating Capacity	4	4

System Control Center		
Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

- Optional Packages Available***
- Thermal Bond™ Full Foam Insulation
 - Saratoga Sounds™ System

Standard System

Equipment	Features
• Top Loading Skimmer	• Custom Circulation Cycles
• Treaded Footwell	• Tri Layer™ Spa Shell
• Footwell Spa Drain	• Antimicrobial Filtration
• Ozone Generator	• Multi Weather™ Classic Cabinet
• Saratoga LED Lighting	• Deluxe Spa Cover
• Slide Valves	• Thermal Bond™ Wrap Insulation
• 7/3/2 Warranty	• DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Cottage Spas 2022

GLENWOOD





2022 Specifications

COLLINS

HYDROTHERAPY

Passive Impact™ Therapy System

Power Massage°	1
TOTAL JETS	1

Direct Impact™ Therapy System

Versa-Flo™ Jets	36
TOTAL JETS	37

Valve Systems

Versa-Flo™ Valve	1
LED Water Feature Valve.....	1
TOTAL VALVES	2

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions	Domestic	Int'l
Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	317 kg
Average Full Weight	3622 LB	1643 kg
Seating Capacity	4-5	4-5

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment	Features
• Top Loading Skimmer	• Custom Circulation Cycles
• Treaded Footwell	• LED Water Feature
• Footwell Spa Drain	• Tri Layer™ Spa Shell
• Built-in Headrests	• Antimicrobial Filtration
• Ozone Generator	• Multi Weather™ Classic Cabinet
• Saratoga LED Lighting	• Deluxe Spa Cover
• Slide Valves	• Thermal Bond™ Wrap Insulation
• 7/3/2 Warranty	• DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Cottage Spas 2022

COLLINS





2022 Specifications

WHITMAN

HYDROTHERAPY

Passive Impact™ Therapy System	
Power Massage®	1
TOTAL JETS	1

Direct Impact™ Therapy System	
Versa-Flo™ Jets	37
TOTAL JETS	38

Valve Systems

Versa-Flo™ Valve	1
LED Water Feature Valve	1
TOTAL VALVES	2

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Bond™ Wrap
- Deluxe Spa Cover

Custom Circulation System

- Custom Circulation Cycles
- Antimicrobial Filtration
- Ozone Generator

Dimensions	Domestic	Int'l
Width	80"	2.03 m
Length	84"	2.13 m
Height	36"	0.91 m
Average Fill	350 GL	1325 L
Dry Weight	700 LB	317 kg
Average Full Weight	3622 LB	1643 kg
Seating Capacity	4-5	4-5

System Control Center

Power Pak	220V/60A	230V/16A
Heater	4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	195 GPM	737 LPM
(1) Turbo Boost Pump	Standard	Standard

Optional Packages Available*

- Thermal Bond™ Full Foam Insulation
- Saratoga Sounds™ System

Standard System

Equipment	Features
• Top Loading Skimmer	• Custom Circulation Cycles
• Treaded Footwell	• LED Water Feature
• Footwell Spa Drain	• Tri Layer™ Spa Shell
• Built-in Headrests	• Antimicrobial Filtration
• Ozone Generator	• Multi Weather™ Classic Cabinet
• Saratoga LED Lighting	• Deluxe Spa Cover
• Slide Valves	• Thermal Bond™ Wrap Insulation
• 7/3/2 Warranty	• DuoTone™ Jet Accents

* Additional costs, see Saratoga Dealer Price Sheet

Cottage Spas 2022
WHITMAN





COTTAGE SERIES OPTIONS

“Thermal Bond™ Full Foam Insulation”

- Available option on all models at additional cost, see price sheet for details
 - Factory-installed item
-

“Saratoga Sounds™ System”

- Available option on all models at an additional cost, see price sheet for details
 - Bluetooth Streaming with Dual Flat Speakers and Subwoofer
 - Factory-installed item
-

“Saratoga LED Lighting”

- Standard Feature on all models - Includes LED Topside, LED Skimmer Box, LED Water Feature, LED Exterior Corner Lighting and LED Waterline Facets placed at evenly distributed locations around the waterline
 - LED Footwell Jet not available on Cottage Spas
 - LED Water Feature not available on Glenwood
 - Factory-installed item





2022 Specifications

PEERLESS SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 13

Valve Systems

TOTAL VALVES 0

Dimensions

	Domestic	Int'l
Width	59"	1.49 m
Length	82"	2.08 m
Height	29"	0.73 m
Average Fill	150 GL	567 L
Dry Weight	300 LB	136 kg
Average Full Weight	1500 LB	680 kg
Seating Capacity	1-2	1-2

Thermal Bond™ Insulation System

- Sealed Base
- Thermal Wrap™ System
- Deluxe Spa Cover

Custom Circulation™ System

- Custom™ Cycles
- Antimicrobial Filtration
- Ozone Ready

System Control Center

Power Pak	220V/60A 110V/20A	230V/16A
Heater	1kw or 4kw	3kw
Antimicrobial Filtration	Standard	Standard
Saratoga LED Lighting	Standard	Standard
(1) 2 Speed Pump	140 GPM	530 LPM

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Options

- Ozone Generator

Features

- Custom™ Circulation Cycles
- Tri Layer™ Spa Shell
- Multi Weather™ Cabinet
- Deluxe Spa Cover
- Thermal Wrap™ System
- DuoTone™ Jet Accents

Geyser 2022

PEERLESS SPRINGS





2022 Specifications

PARADISE SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 25

Valve Systems

TOTAL VALVES 1

Thermal Bond™ Insulation System

Sealed Base

Thermal Wrap™ System

Deluxe Spa Cover

Custom Circulation™ System

Custom™ Cycles

Antimicrobial Filtration

Ozone Ready

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom™ Circulation Cycles
- Tri Layer™ Spa Shell
- Multi Weather™ Cabinet
- Deluxe Spa Cover
- Thermal Wrap™ System
- DuoTone™ Jet Accents

Dimensions

Width

78.5" Diameter

2 m Diameter

Height

36.5"

0.93 m

Average Fill

255 GL

965 L

Dry Weight

350 LB

158 kg

Average Full Weight

2438 LB

1105 kg

Seating Capacity

4-6

4-6

System Control Center

Power Pak

220V/60A

230V/16A

Heater

4kw

3kw

Antimicrobial Filtration

Standard

Standard

Saratoga LED Lighting

Standard

Standard

(1) 2 Speed Pump

240 GPM

907 LPM

Options

- Ozone Generator

Geyser 2022

PARADISE SPRINGS





2022 Specifications

GLACIER SPRINGS

Hydrotherapy

Therapy System

TOTAL JETS 25

Valve Systems

TOTAL VALVES 1

Thermal Bond™ Insulation System

Sealed Base

Thermal Wrap™ System

Deluxe Spa Cover

Custom Circulation™ System

Custom™ Cycles

Antimicrobial Filtration

Ozone Ready

Standard Equipment

- Top Loading Skimmer
- Treaded Footwell
- Footwell Spa Drain
- Sealed Base
- Saratoga LED Lighting
- Slide Valves
- 7/3/2 Warranty

Features

- Custom™ Circulation Cycles
- Tri Layer™ Spa Shell
- Multi Weather™ Cabinet
- Deluxe Spa Cover
- Thermal Wrap™ System
- DuoTone™ Jet Accents

Dimensions

Width

Height

Average Fill

Dry Weight

Average Full Weight

Seating Capacity

Domestic

92" Diameter

38"

425 GL

600 LB

4000 LB

6-8

Int'l

2.33m Diam.

0.96 m

1608 L

272 kg

1814 kg

6-8

System Control Center

Power Pak

Heater

Antimicrobial Filtration

Saratoga LED Lighting

(1) 2 Speed Pump

220V/60A

4kw

Standard

Standard

240 GPM

220V/60A

3kw

Standard

Standard

907 GPM

Options

- Ozone Generator

Geyser 2022

GLACIER SPRINGS





GEYSER OPTIONS

“Saratoga LED Lighting”

- Standard Feature on all models - Includes LED Topside, LED Skimmer Box and LED Waterline Facets
 - LED Skimmer box NOT available on Glacier Springs
 - Factory-installed item
 - No LED Footwell jet on Geyser Spas

“Ozone Generator”

- Available option on all models at an additional cost
 - Dealer installed item, see price sheet for details

